



PROMDOORS
ВОРОТА ДВЕРИ

600017 . , .39, . 204/211
/ 3327142954/332801001
.: +7 (980) 752-69-99

25 04.09.2020

/		.	-	..	,
1	SVN-6625 PRO v2.0 16- IP- : - IP- 8 Mpix; - 4 ; - 4 5 Mpix IP- PRO- ; - ; - (4 2)	.	3	15 360	46080
2	SVI-S153 SD SL 5 2.8 IP- Satvision: - : 5 Mpix (2592 × 1944), 4 Mpix (2592 × 1520), 3 Mpix (2048 × 1536), 3 Mpix (2304 × 1296), 2 Mpix (1920 × 1080), 1.3 Mpix (1280 × 960), 1 Mpix (1280 × 720), (640 × 480), (320 × 240); - : 5 Mpix - 15 / , 4 Mpix - 20 / , 3 Mpix - 25 / .	.	45	10 397	467856
3	B- 400x310x120 Beward	.	6	6 240	37440
4	Tfortis-1 200 150 70	.	6	1860	11160
5	D-Link DMC-F20SC-BXD/A1A WDM	.	6	3 600	21600

6	D-Link DMC-F20SC-BXU/A1A WDM	.	6	3 600	21600
7	TP-LINK TL-SG105	.	3	1 428	4284
8	Western Digital (WD) Red Pro WD6003FFBX 6 , HDD, SATA-III, 3.5"	.	3	27 588	82764
9	SVB-408PC 8- PoE- 2- uplink	.	6	11 354	68126,4
10	NT WALLBOX LIGHT 9-66 G (176970) 19"	.	3	10 892	32677,2
11	IPPON Smart Winner 1000 NEW, 1000 A	.	3	20 881	62643,6
12	- 19" 2U 24 RJ45	.	3	1 800	5400
13	SHE19-8SH-S-IEC 19" 1U	.	3	1 711	5133,6
14	1U 4 19'	.	3	487,2	1461,6
15		.	6	600	3600
16		.	3	1 200	3600
17	SVI-D222 SL PRO 2 2.8	.	16	7 920	126720
18	SVI-S122 SL PRO 2 2.8 IP-	.	8	8 400	67200
19	SVI-S352V PRO 5 2.8-12 IP-	.	4	21 628	86510,4
20	SVN-8625 PRO v2.0 8	.	2	10 464	20928
21	SVN-6625 PRO v2.0 16	.	1	15 360	15360
22	SVN-4625 PRO v2.0 (NVMS-9000) 4	.	2	8 160	16320
23	SVB-408PC 8- PoE- 2- uplink	.	6	11 354	68126,4
24	400x300x200 IP66	.	11	4 800	52800
25					1329391,2

/			-	..	
1	UTP Cat 5e		3850	26,4	101640
2	-8 -4 (4)		950	27	25650
3	16		2300	15,6	35880
	:				163 170,00

/			-	..	
1			69	2400	165600
2	()		69	420	28980
3			3	1200	3600
4			17	600	10200
5	(24 48)		1	12000	12000
6	-		1	1800	1800
7	UTP Cat 5e,		1	415800	415800
8			1	171000	171000
9	()		1	36000	36000
10			1	15000	15000
11			20	600	12000
	:				871 980,00
	:				2 364 541,20
	20%:				394 090,20

:3
:3
:70/30

« »

